



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Edward Stewart
Public Works Dept.
21 Academy Ave
Atkinson, NH 03811

RE: Non-Submittal of 06 Annual Report

Dear Mr. Stewart:

EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,

A handwritten signature in dark ink, appearing to read "Thelma Murphy", is written over a horizontal dotted line.

Thelma Murphy
Storm Water Coordinator



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Dean Peschel, Proj. Mgr.
288 Central Ave.
Dover, NH 03820

RE: Non-Submittal of 06 Annual Report

Dear Mr. Peschel:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy
Storm Water Coordinator



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1

1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Richard Rugg, Town Administrator
P.O. Box 100
Greenland, NH 03840

RE: Non-Submittal of 06 Annual Report

Dear Mr. Rugg:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy
Storm Water Coordinator

cc: NHHES



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Dale Hameon, Hgwy Mgr.
Public Works Dept.
16 Main St.
Hooksett, NH 03160

RE: Non-Submittal of 06 Annual Report

Dear Mr. Hameon:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy
Storm Water Coordinator



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Mark A. Heitz, Chairman
Board of Selectmen
19 Madison Ave.
Kingston, NH 03848

RE: Non-Submittal of 06 Annual Report

Dear Mr. Heitz:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Roland Bergeron
Two Liberty Way, Suite 1
Litchfield, NH 03052

RE: Non-Submittal of 06 Annual Report

Dear Mr. Bergeron:

EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,

A handwritten signature in black ink, appearing to read "Thelma Murphy", is written over a horizontal line.

Thelma Murphy
Storm Water Coordinator



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Frank Thomas, Director
Dept. of Public Works
1 City Hall Plaza
Manchester, NH 03101

RE: Non-Submittal of 06 Annual Report

Dear Mr. Thomas:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Earle Chesley, Director
Public Works Dept.
P.O. Box 940
Merrimack, NH 03054

RE: Non-Submittal of 06 Annual Report

Dear Mr. Chesley:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

James Culverhouse, Chair
Board of Selectmen
P.O. Box 931
Milton, NH 03851

RE: Non-Submittal of 06 Annual Report

Dear Mr. Culverhouse:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Michael Pardue, Town Administrator
P.O. Box 710
North Hampton, NH 03862

RE: Non-Submittal of 06 Annual Report

Dear Mr. Pardue:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy
Storm Water Coordinator



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Thomas Gaydas, Town Administrator
6 Main St.
Pelham, NH 03076

RE: Non-Submittal of 06 Annual Report

Dear Mr. Gaydas:

EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,

A handwritten signature in dark ink, appearing to read "Thelma Murphy", is written over a horizontal dashed line.

Thelma Murphy
Storm Water Coordinator



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1

1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Daniel Garlington, Road Agent
145 Main St.
Plaistow, NH 03865

RE: Non-Submittal of 06 Annual Report

Dear Mr. Garlington:

EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,

A handwritten signature in dark ink, appearing to read "Thelma Murphy", is written over a horizontal line.

Thelma Murphy
Storm Water Coordinator



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Ed Jansen, Chairman
Board of Selectmen
P. O. Box 309
Rollingsford, NH 03869

RE: Non-Submittal of 06 Annual Report

Dear Mr. Jansen:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy
Storm Water Coordinator



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

Rodney Bartlett, Director
Public Works Dept.
21 Cross St.
Salem, NH 03079

RE: Non-Submittal of 06 Annual Report

Dear Mr. Bartlett:

EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,

A handwritten signature in black ink, appearing to read "Thelma Murphy", is written over a horizontal dashed line.

Thelma Murphy
Storm Water Coordinator



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

John Jackman, P.E.
Dept. of Public Works
51 Willand Drive
Somersworth, NH 03878

RE: Non-Submittal of 06 Annual Report

Dear Mr. Jackman:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy
Storm Water Coordinator



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 1
1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 15, 2006

David Sullivan, Town Administrator
P.O. Box 120-3 N. Lowell Rd.
Windham, NH 03087

RE: Non-Submittal of 06 Annual Report

Dear Mr. Sullivan:


EPA has not received an Annual Report from your municipality as required by the Small Municipal Separate Storm Sewer System General Permit. This report was due on May 1, 2006, to both EPA and the Massachusetts Department of Environmental Protection.

EPA has developed a sample format for an Annual Report which you may find helpful. This information is available at <http://www.epa.gov/ne/npdes/stormwater/ms4-annual-rpt.html>.

You are strongly urged to submit your annual report as soon as possible. Failure by the municipality to submit this report is a violation of both the General Permit and the Clean Water Act and may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. §1319. This statute permits EPA to seek the imposition of penalties.

If you have any questions, please contact me at 617-918-1560

Sincerely,


Thelma Murphy
Storm Water Coordinator